

Elvarex® Soft Order Form

Lower Extremity

Patient Name / Essity File # _____ DOB _____

Address _____ Gender M F

City/Province/Postal Code _____

Diagnosis _____

TO ORDER:
<https://eshop.jobst-ca.com>
Tel: 1-877-978-5526
1-877-358-2739
Fax: 1-877-978-9703


Date _____

Colour	Quantity/Class	CCL1 18-21 mmHg*	CCL2 23-32 mmHg*	CCL3 34-46 mmHg*	
	<input type="checkbox"/> Beige <input type="checkbox"/> Grey	Left			
	<input type="checkbox"/> Black <input type="checkbox"/> Cocoa	Right			
	<input type="checkbox"/> Cranberry <input type="checkbox"/> Cherry	Body Bandage <small>CCL must be same as legs</small>			
<input type="checkbox"/> Navy					

Styles

AD Knee AG-T Chap: pc. pr.
 AG Thigh AT Pantyhose

AT Pantyhose must be all one compression class. All leg lengths must be equal.



Straight Open Toe Length Slant Open Toe Length Slant Closed Toe Length

Lateral _____ cm Medial _____ cm Medial _____ cm

Straight Closed Toe Length Lateral _____ cm Lateral _____ cm

Total Foot /Z _____ cm Total Foot /Z _____ cm

Circum. (c)	Length (l)	Length (l)
cT ⁰	/GT	/T
cH ⁺⁺	/KT	/H


Circumference (c)		Length (l): Taken from each landmark to floor	
Left	Right	Left	Right
		/K	
cG ⁺⁺		/G	
cF ⁺⁺		/F	
cE ⁺		/E	
cD ⁺⁺⁺		/D	
cC ⁺⁺		/C	
cB1 ⁺⁺		/B1	
cB ⁺		/B	
cY ⁰		/A (medial)	
cA ⁺⁺		/A (lateral)	

Variations

B1G-T
 BG-T
 FT Biker Short

Tensions

0 no tension
+ light tension
++ heavy tension



Special Options

Oblique: AD standard 4cm Adj. waistband (AT panty only)
 Other: ____cm (2cm-6cm) Open pubis (AT panty only)
(AG fixed 7cm, no modifications) T-Heel

Silicone Band On Top

2.5cm (A-D Only)

5cm

AG-T Not available with Silicone band.
AT Pantyhose must be all one compression class. All leg lengths must be equal.

SoftFit band (A-D Only)

Pocket **Lining (Pocket all sides closed)**

In-step In-step
 Back of knee Back of knee
 Heel Heel

All measurements should be in centimeters.
* Design Pressure
** If measuring is done in lying position, cA please apply 0 tension
***cD/cG 0 tension with silicone band and straight ending
Lateral rise: standard is 4cm AD and required is 7cm AG
For additional product order forms, please go to:
<https://eshop.jobst-ca.com>

Comments: _____

